# INDEX

AMBROSIANO, J. & VAHALA, G. Effects of perturbation theory on the spectrum of ideal magnetohydrodynamic and guiding centre plasmas, 537

ANDERSON, D., BONDESON, A. & LISAK, M. Transverse instability of soliton solutions to nonlinear Schrödinger equations, 259

BENFORD, G. *See* HAUCK, J. P. & BENFORD, G.

BINGHAM, R. & LASHMORE-DAVIES, C. N. On the nonlinear development of the Langmuir modulational instability, 51

BONDESON, A. *See* ANDERSON, D., BONDESON, A. & LISAK, M.

CAPONI, M. Z. *See* DA JORNADA, E. H., GAFFEY JR, J. D. & CAPONI, M. Z.

CONN, G. *See* ROSENAU, P., TATARONIS, J. A. & CONN, G.

COPELAND, J. E. *See* OAKES, M. E., RICHIE, R. B., TSUI, K. H. & COPELAND, J. E.

CROSS, R. C. & MATHERS, C. D. The effects of ionization on the jump conditions for MHD and transverse ionizing shock waves, 151

CUMMING, J. *See* JOHNSTON, J. W., CUMMING, J. & LAING, E. W.

DA JORNADA, E. H., GAFFEY JR, J. D. & CAPONI, M. Z. Acoustic instabilities and plasma heating resulting from energetic ion beam injection, 193

DAS, K. P. & SIHI, S. Modulational instability of two transverse waves in a cold plasma 183

DOUGHERTY, J. P. *See* ROMEIRAS, F. J. & DOUGHERTY, J. P.

FORBES, T. G. & SPEISER, T. W. Temporal evolution of magnetic reconnexion in the vicinity of a magnetic neutral line, 107

FORSLAND, D. W., KINDEL, J. M. & STROSCIO, M. A. Current driven electromagnetic ion cyclotron instability, 127

FURUTANI, Y. *See* KHIET, T., FURUTANI, Y. & ICHIKAWA, Y. H.

GAFFEY JR, J. D. *See* DA JORNADA, E. H., GAFFEY JR, J. D. & CAPONI, M. Z.

GARY, S. P. A second-order theory for the ion-acoustic heat flux instability, 361

GARY, S. P. *See* LEMONS, D. S., WINSKE, D. & GARY, S. P.

HABBAL, S. R. & TUAN, T. F. Plane MHD flows in a hyperbolic magnetic field: implications for the problem of magnetic field-line reconnexion, 85

HALL, A. N. Finite ion Larmor radius modifications to the firehose and mirror instabilities, 431

HAUCK, J. P. & BENFORD, G. Ion beam expansion due to ion cyclotron wave interactions, 19

HIROSE, A. Reply to the comments of G. Schmidt, 383

HRUŠKA, A. Low frequency waves in inhomogeneous magnetic fields, 279

HSIEH, C. L. *See* OHYABU, N., HSIEH, C. L. & JENSEN, T. H.

ICHIKAWA, Y. H. *See* KHIET, T., FURUTANI, Y. & ICHIKAWA, Y. H.

JENSEN, T. H. *See* OHYABU, N., HSIEH, C. L. & JENSEN, T. H.

JOHNSTON, J. W., CUMMING, J. & LAING, E. W. Equation of state for a partially degenerate plasma, 317

JONES, R. Turbulent heating of tokamak plasmas by runaway electron beam–plasma instability, 445

KHIET, T., FURUTANI, Y. & ICHIKAWA, Y. H. Nonlinear propagation of the extraordinary mode in a hot magnetoplasma, 225

KINDEL, J. M. *See* FORSLAND, D. W., KINDEL, J. M. & STROSCIO, M. A.

KIWAMOTO, Y., KUWAHARA, H. & TANACA, H. Anomalous resistivity of a turbulent plasma in a strong electric field, 475

KUWAHARA, H. *See* KIWAMOTO, Y., KUWAHARA, H. & TANACA, H.

LAING, E. W. *See* JOHNSTON, J. W., CUMMING, J. & LAING, E. W.

LAING, E. W. *See* REID, J. & LAING, E. W.

LARSSON, J. Conductivity tensors of all orders in a collisionless plasma, 519

LASHMORE-DAVIES, C. N. *See* BINGHAM, R. & LASHMORE-DAVIES, C. N.

LEE, M. A. & LERCHE, I. On the stability of self-consistent large-amplitude waves in a cold plasma. Part 2. Longitudinal waves in the absence of a large-scale magnetic field, 27

LEE, M. A. & LERCHE, I. On the stability of self-consistent large-amplitude waves in a cold plasma. Part 3. Transverse circularly polarized waves in the presence of a large-scale magnetic field, 43

LEE, M. A. & LERCHE, I. On self-consistent waves and their stability in warm plasma. Part 1. Construction of the self-consistent waves, 141

LEMONS, D. S., WINSKE, D. & GARY, S. P. Nonlinear theory of the Weibel instability, 287

LERCHE, I. *See* LEE, M. A. & LERCHE, I.

LISAK, M. *See* ANDERSON, D., BONDESON, A. & LISAK, M.

MARAGECHI, B. & WILLETT, J. Stimulated backscattering of electromagnetic ordinary waves from extraordinary waves below the upper hybrid frequency, 97

MATHERS, C. D. *See* CROSS, R. C. & MATHERS, C. D.

MERCHES, I. A variational principle in relativistic magnetofluid dynamics, 511

MONTGOMERY, D. & VAHALA, G. Two-dimensional magnetohydrodynamic turbulence: cylindrical, non-dissipative model, 71

MONTGOMERY, D., TURNER, L. & VAHALA, G. Most probable states in magnetohydrodynamics, 239

OAKES, M. E., RICHIE, R. B., TSUI, K. H. & COPELAND, J. E. Cold plasma dispersion surfaces, 205

OHYABU, N., HSIEH, C. L. & JENSEN, T. H. Merging tokamaks, 253

ØIEN, A. H. Kinetic equation for an electron gas (non-neutral plasma) in strong fields and inhomogeneities, 401

PATHEJA, B. L. *See* SODHA, M. S., TEWARI, D. P., PATHEJA, B. L. & SHARMA, R. P.

PEYRAUD, N. Production of high energy ions in a tokamak during neutral injection heating, 1

REID, J. & LAING, E. W. The resistive evolution of force-free magnetic fields. Part 1. Slab geometry, 501

RICHIE, R. B. *See* OAKES, M. E., RICHIE, R. B., TSUI, K. H. & COPELAND, J. E.

ROBERTSON, C. A technique for calculating finite Larmor radius corrections, 169

ROLLAND, P. On Dupree's resonance function, 341

ROMEIRAS, F. J. & DOUGHERTY, J. P. Padé approximants and nonlinear waves, 549

ROSENAU, P., TATARONIS, J. A. & CONN, G. Elements of magnetohydrodynamics with the Hall current. Part 1. Nonlinear phenomena, 385

SCHMIDT, G. Comments on the paper 'On energy of non-resonantly growing plasma waves' by A. Hirose, 381

SEN, A. K. A phenomenological theory of drift wave type turbulence, 423

SHARMA, R. P. *See* SODHA, M. S., TEWARI, D. P., PATHEJA, B. L. & SHARMA, R. P.

SHERCLIFF, J. A. Two-dimensional plasma equilibria, 347

SIHI, S. *See* DAS, K. P. & SIHI, S.

SODHA, M. S., TEWARI, D. P., PATHEJA, B. L. & SHARMA, R. P. Excitation of an upper hybrid wave by a Gaussian electromagnetic beam in ordinary mode, 267

SPEISER, T. W. *See* FORBES, T. G. & SPEISER, T. W.

STENFLO, L. Wave-wave interactions in rotating gases, 333

STROSCIO, M. A. *See* FORSLAND, D. W., KINDEL, J. M. & STROSCIO, M. A.

TANACA, H. *See* KIWAMOTO, Y., KUWAHARA, H. & TANACA, H.

TATARONIS, J. A. *See* ROSENAU, P., TATARONIS, J. A. & CONN, G.

TEWARI, D. P. *See* SODHA, M. S., TEWARI, D. P., PATHEJA, B. L. & SHARMA, R. P.

THOMAS, C. L. Some uniqueness theorems for the ideal MHD equilibrium of a cylindrical tokamak, 177

TSUDA, T. *See* UGAI, M. & TSUDA, T.

TSUI, K. H. *See* OAKES, M. E., RICHIE, R. B., TSUI, K. H. & COPELAND, J. E.

TUAN, T. F. *See* HABBAL, S. R. & TUAN, T. F.

TURNER, L. *See* MONTGOMERY, D., TURNER, L. & VAHALA, G.

UGAI, M. & TSUDA, T. Magnetic field line reconnexion by localized enhancement of resistivity. Part 3. Controlling factors, 459

VAHALA, G. *See* AMBROSIANO, J. & VAHALA G.

VAHALA, G. *See* MONTGOMERY, D., TURNER, L. & VAHALA, G.

VAHALA, G. *See* MONTGOMERY, D. & VAHALA, G.

WILLETT, J. *See* MARAGECHI, B. & WILLETT, J.

WINSKE, D. *See* LEMONS, D. S., WINSKE, D. & GARY, S. P.

WINTERBERG, F. Generation of ultra-intense heavy ion beams for inertial confinement fusion, 301

WINTERBERG, F. Minimum non-spherical implosion velocity for inertial confinement fusion, 421

# INDEX

AKAMA, H. *See* NAMBU, M., SPATSCHEK, K. H. and AKAMA, H.

ALLEN, J. E. *See* WICKENS, L. M. and ALLEN, J. E.

ANDERSON, D., BONDESON, A. and LISAK, M. Soliton formation at critical density in laser-irradiated plasmas, 339

BARKER, R. J. & BUNEMAN, O. The effect of current shear on the tearing instability, 453

BILIKMEN, S. *See* WILLETT, J. E., BILIKMEN, S. and MARAGHECHI, B.

BLACKWELL, B. D. & CROSS, R. C. Measurements of the impedance of a magneto-acoustic wave-launching antenna, 499

BONDESON, A. *See* ANDERSON, D., BONDESON, A. and LISAK, M.

BUCKLEY, R. and SAMMUT, C. A. P. Wave packets in dispersive media: an approximation encompassing both main signal and precursors, 563

BUNEMAN, O. *See* BARKER, R. J. and BUNEMAN, O.

CAIRNS, R. A. The spectrum of second harmonic emission from a laser-produced plasma, 149

CALINON, R. and MERLINI, D. Stationary states of two-dimensional magnetohydrodynamic turbulence: non-dissipative limit, 385

CRAMER, N. F. and SY, W. N-C. Parametric decay of magneto-acoustic oscillations in a cylindrical plasma, 549

CROSS, R. C. *See* BLACKWELL, B. D. and CROSS, R. C.

DILLENBERG, D. *See* LEE, L. C., WU, C. S., FREUND, H. P., DILLENBERG, D. and GOEDERT, J.

ELGIN, J. N. Reflexion of a plane wave at a plasma slab, 525

FREUND, H. P. *See* LEE, L. C., WU, C. S., FREUND, H. P., DILLENBERG, D. and GOEDERT, J.

GOEDERT, J. *See* LEE, L. C., WU, C. S., FREUND, H. P., DILLENBERG, D. and GOEDERT, J.

GOEDERT, J. and MONDT, J. P. Finite-Larmor-radius effects on anistropy-driven electromagnetic modes in high-beta plasmas, 257

GOLDEN, K. I. *See* JACKSON, R. W. and GOLDEN, K. I.

HAINES, M. G. *See* TOMIMURA, A. and HAINES, M. G.

HAMEIRI, E. Compressible magnetic-field reconnexion, 245

HOSKING, R. J. Magneto-viscous resistive tearing of cylindrical flux surfaces, 329

INFELD, E. and ROWLANDS, G. Corrigendum: On the stability of relativistic nonlinear cold plasma waves, 571

JACKSON, R. W. and GOLDEN, K. I. Formation of precursor whistler mode plasma turbulence in parallel shock waves, 491

KAN, J. R. *See* LEE, L. C. and KAN, J. R.

KIRKLAND, K. B. and SONNERUP, B. U. Ö. Self-similar resistive decay of a current sheet in a compressible plasma, 289

KRITZ, A. H. *See* WERSINGER, J. M., KRITZ, A. H. and TROYON, F.

LAEDKE, E. W. and SPATSCHEK, K. H. An energy principle for soliton solutions with higher nonlinearities, 477

LAING, E. W. *See* REID, J. and LAING, E. W.

LAMBÈGE, B. Method for predicting the properties of cyclotron harmonic waves from the perpendicular dispersion relation, 231

LEE, K. F. Instability of ion–ion hybrid waves in current-carrying collisional plasmas with two ion species, 59

LEE, L. C., WU, C. S., FREUND, H. P., DILLENBERG, D. and GOEDERT, J. Excitation of high-frequency waves with mixed polarization by streaming energetic electrons, 277

LEE, L. C. and KAN, J. R. Transition layer between two magnetized plasmas, 515

LISAK, M. *See* ANDERSON, D., BONDESON, A. and LISAK, M.

MARAGHECHI, I. B. *See* WILLETT, J. E., BILIKMEN, S. and MARAGHECHI, B.

MCKENZIE, J. F. Critical-level behaviour of ion-cyclotron waves, 361

MENDONÇA, J. T. Nonlinear interaction of wave packets, 15

MERLINI, D. *See* CALINON, R. and MERLINI, D.

MONDI, J. P. *See* GOEDERT, J. and MONDT, J. P.

NAGANO, H. Nonlinear Kelvin–Helmholtz instability in hydromagnetics, 27

NAMBU, M., SPATSCHEK, K. H. and AKAMA, H. Test charge potential in the presence of trapped electrons, 443

NENOVSKI, P., SHUKLA, P. K., TAGARE, S. G. and ZHELYAZKOV, I. Parametric decay of non-ducted whistler-mode signal, 377

PRAMANIK, G. C. Nonlinear coupling of three waves in non-uniform plasma, 353

RAMOS, J. J. An analytical local approach to flux conserving tokamak equilibrium, 97

REID, J. and LAING, E. W. The resistive evolution of force-free magnetic fields. Part 2. Relation to anisotropic diffusion, 157

REID, J. and LAING, E. W. The resistive evolution of force-free magnetic fields. Part 3. Cylindrical geometry, 193

ROMEIRAS, F. J. Stability of relativistic transverse waves. Part 2. Linearly polarized waves, 201

ROWLANDS, G. *See* INFELD, E. and ROWLANDS, G.

ROZMUS, W. Hydrodynamical description of one-component weakly coupled plasmas, 41

SAMMUT, C. A. P. *See* BUCKLEY, R. and SAMMUT, C. A. P.

SAWLEY, M. L. Magneto-acoustic oscillations in a finite-beta current carrying plasma column, 223

SHIVAMOGGI, B. K. and UBEROI, M. S. Convection of a weakly ionized plasma in a strong magnetic field: nonaxisymmetric waves, 187

SHUKLA, P. K. *See* NENOVSKI, P., SHUKLA, P. K., TAGARE, S. G. and ZHELYAZKOV, I.

SONNERUP, B. U. Ö. *See* KIRKLAND, K. B. and SONNERUP, B. U. Ö.

SPATSCHEK, K. H. *See* LAEDKE, E. W. and SPATSCHEK, K. H.

SPATSCHEK, K. H. *See* NAMBU, M., SPATSCHEK, K. H. and AKAMA, H.

SY, W. N-C. *See* CRAMER, N. F. and SY, W. N-C.

TAGARE, S. G. *See* NENOVSKI, P., SHUKLA, P. K., TAGARE, S. G. and ZHELYAZKOV, I.

TOMIMURA, A. and HAINES, M. G. Energy equilibria in the diffuse pinch. Part 1. Classical scalar conductivity and neo-classical models, 397

TOMIMURA, A. and HAINES, M. G. Energy equilibria in the diffuse pinch. Part 2. A tensor conductivity model, 421

TROYON, F. *See* WERSINGER, J. M., KRITZ, A. H. and TROYON, F.

TSUDA, T. *See* UGAI, M. and TSUDA, T.

UBEROI, M. S. *See* SHIVAMOGGI, B. K. and UBEROI, M. S.

UGAI, M. and TSUDA, T. Magnetic field line reconnexion by localized enhancement of resistivity. Part 4. Dependence on the magnitude of resistivity, 1

WAHLBERG, C. On the existence and stability of trapped Langmuir modes in a double layer, 303

WERSINGER, J. M., KRITZ, A. H. and TROYON, F. Lower-hybrid oscillating two-stream instability in a plasma with magnetic shear, 71

WICKENS, L. M. and ALLEN, J. E. Free expansion of a plasma with two electron temperatures, 167

WILLETT, J. E., BILIKMEN, S. and MARAGHECHI, B. Electromagnetic wave backscattering across a magnetic field in a bounded plasma, 85

WU, C. S. *See* LEE, L. C., WU, C. S., FREUND, H. P., DILLENBERG, D. and GOEDERT, J.

ZHELYAZKOV, I. *See* NENOVSKI, P., SHUKLA, P. K., TAGARE, S. G. and ZHELYAZKOV, I.